Brown Pelican

Scanned from Originals

The Brown Pelican



The Newsletter of the Golden Triangle Audubon Society

Vol. 8 No. 7/8

July/August 2002

Membership Meeting

Thursday, August 15, 2002 6:30 PM, Garden Center, Tyrrell Park, Beaumont

Hawks of the Upper Texas Coast **Dick Benoit**

Dick Benoit is the Site Coordinator for the fall Smith Point Hawk Watch, a post he has held for three years. He has been involved in the Smith Point Hawk Watch and the Spring Sylvan Beach (LaPorte) watch for the past seven years. For the twenty years preceding years, he was Hawk Chairperson for the fall hawk watch at Holiday Beach, Amherstburg, Ontario. During the last twelve years in Canada, he was Eastern Great Lakes fall regional editor for the Hawk Migration Association of North America. Dick will have with him a handout on hawks seen on the Upper Texas Coast, and some study skins.

As usual, the doors will be open no later than 6:30 p.m., and the proceedings will start at 7:15 p.m. approximately.

Editorial: Hands On Conservation

Southeast Texas is a very green place. The relatively abundant moisture results in luxuriant growth. Nowhere is this more evident than in the Texas Ornithological Society Sanctuary at Sabine Woods. Yes, we are in the process of arranging for a water supply to set up a drip during those periods when there is no water in the ponds. But this year, even though there is currently only a very limited amount of water remaining in one of the ponds, the growth in the areas surrounding the woods has been spectacular. This includes all the trails where we have been trying to develop a grass-based surface. Unfortunately, we are about to run out of the last of the grant money that has enabled us to achieve so much over the last three years or so. We are going to need all the help we can get.

We will be holding Work Days at Sabine Woods on both September 7 and October 5. Any help we can get will be much appreciated. Even before that, if anyone is able to mow the main trail round the woods for us, please let us know, Right now, mowing every two weeks is highly desirable. For the work days, even if you are not up to the physically demanding tasks, we can use help on sweeping the boardwalk, light duty trail maintenance, and even after eight years, picking up trash. Cutting mustang grape vines is an unpleasant task, but an hour spent will help the oaks to grow unimpeded. Call John Whittle at 409-722-4193 or Steve Mayes at 409-722-5807 with your offer of help.

The Brown Pelican

Vol. 8, No.7/8 Jul./Aug. 2002

Golden Triangle Audubon Society

RARE BIRD ALERT AND SOCIETY INFORMATION TELEPHONE NUMBER (409) 768-1340 http://goldtriaudubon.tripod.com

BOARD OF DIRECTORS

President
Steve Mayes (722-5807)
Vice-President
John Haynes (724-6842)
Treasurer
Don Jeane (385-4044)
Recording Secretary
John Whittle (722-4193)
Corresponding Secretary
Jana Whittle (722-4193)

Directors-at-Large Bob Collier (892-6654) Joe Halbrook (892-3090) Jeannie Lanclos (724-1307) Sherrie Roden (962-7911) Mary Stafford (962-8070) Ken Sztraky (768-1203)

COMMITTEE CHAIRS Program Jana Whittle (722-4193)

Field Trips
Steve Mayes (722-5807)
Conservation, Publicity

Joe Halbrook (892-3090)

Membership

Volunteer needed **Education**

Jeannie Lanclos (724-1307) Newsletter Distribution

Mary Stafford (962-8070)

Newsletter Editor John Whittle (722-4193)

John Whittle (722-4193) 3015 Nashville Ave. Nederland, TX 77627-6749

The Brown Pelican is

published monthly except July by the Golden Triangle Audubon Society, P. O. Box 1292, Nederland,

Texas 77627-1292

Calendar of Events

If you can present a program of interest to a Membership Meeting, or know of some person who can, please contact Jana Whittle at (409) 722-4193.

For more information on field trips, please contact Steve Mayes, (409) 722-5807 or the trip leader.

Thursday August 15. Membership meeting. See page 1 for details

Saturday August 24. Field trip to Bolivar Flats. Meet at the vehicle barrier at Bolivar Flats at 9:00 a.m. or ioin the group on the flats later. Take Highway 124 south from Winnie about 20 miles through High Island. At the shoreline, turn right along Highway 87 and proceed approximately 25 miles through Gilchrist and Crystal Beach until you come to the intersection with Loop 108. At that intersection, turn south (the opposite direction from Loop 108) on Rettilon Road to the beach. If conditions permit, drive onto the sand and turn right to the vehicle barrier (about 1/2 mile). It is about 90 minutes drive, with no allowance for stops for birding, from Beaumont or Nederland to the Flats

Saturday September 7. Sabine Woods Work Day. See editorial in this issue. Start time 7:30 a.m. Sabine Woods is 4.1 miles west of Sabine Pass on Highway 87.

Thursday September 19 – Membership Meeting. We have an exciting meeting. Nancy Newfield, renowned author and hummingbird expert, will talk on "Piecing Together the Puzzle of Louisiana's Winter Hummingbirds".

Nancy L. Newfield has studied the hummingbirds that winter in southern Louisiana since 1975. In 1979, she initiated a banding project to evaluate and document the several species that spend their non-breeding season in the Bayou State.

Nancy will also have copies of her books for sale at the meeting.

Saturday September 21 - Fall Migration Count. As usual we will be

conducting a county-wide migration count in Jefferson county. Contact John Whittle (409-722-4193) for more details or to indicate your participation.

Saturday September 29 – Field trip to Smith Point Hawk Watch. Full details in the next issue or call Steve Mayes at 409-722-5807.

Saturday October 5. Sabine Woods Work Day. See editorial in this issue. Start time 7:30 a.m.

Promoting Community Involvement in Bird Conservation

The First State Wide Annual Meeting of Audubon Texas Friday, September 13, 2002 The Rockport Beach Pavilion, Rockport, Texas

Audubon Texas will hold its firstever statewide meeting in conjunction with the Annual Rockport Hummer/Bird Celebration. This event is open to all interested in birds and wildlife and the conservation of their habitats.

This year's event will focus on sharing ideas and strategies on developing bird conservation programs at the community level, as well as how to get the community involved. We will have various Audubon leaders and presenters share their success stories relevant to community-based conservation as well as hold workshops for education and fun.

We will also conduct a meeting of the Audubon Texas Assembly on Saturday for our regional directors and chapter representatives to discuss key issues in conservation science, conservation education and public policy.

For more information on accommodations in Rockport and the surrounding area, please contact Linda Dreeland at Idreeland@audubon.org or at the Audubon Texas Office in Austin at 512-306-0225.

Bird Sightings - May and June 2002

Coverage: Jefferson, Orange, Hardin, Tyler, Jasper, Newton, Angelina, San Augustine and Sabine counties. Send Reports to: John Whittle, 3015 Nashville Avenue, Nederland, Texas 77627-6749 by the 10th of the month after or e-mail to whittleja@hal.lamar.edu or call (409) 880-8276 or fax to (409) 880-8270. For "very rare" birds, please submit a brief account of your sighting, including a description of the bird (unless unmistakable), brief details of what it was doing, and where it was seen (if on publicly accessible property).

Format: "Common" to "abundant" birds are shown in the fashion "JEF 4 reps(25)" which means four reports in Jefferson County totaling 25 birds. Less than "common", as JEF-SW 7/5(2) ABC", which means seen in Jefferson County (JEF) at Sabine Woods (SW) on the 5th of July, two (2) birds, reported by observer "ABC"

Commentary: There is little space this month for any comments. The most notable event was a very late grounding of migrants in the days following the passage of a cold front on May 18.

May 2002

PELICAN, Brown	JEF 5/11(15) MC9; JEF-SRSP
5/11(8) MC11	
CORMORANT, Neotropic	JEF 14 reps(147)
ANHINGA	JEF 3 reps(3)
BITTERN, Least	JEF-TX87 5/2(1) JAW; JEF 5/11(2)
MC12; JEF 5/11(1) MC9); JEF-SRSP 5/11(1) MC11
HERON, Great Blue	JEF 5 reps(11)
EGRET, Great	JEF 22 reps(378)
EGRET, Snowy	JEF 21 reps(314)
HERON, Little Blue	JEF 17 reps(124)
HERON, Tricolored	JEF 16 reps(81)
EGRET, Cattle	JEF 20 reps(1056)
HERON, Green	JEF 15 reps(65)
NIGHT-HERON, Black-cr.	JEF 9 reps(25)
NIGHT-HERON, Yellow-cr.	JEF 17 reps(84)
IBIS, White	JEF 10 reps(124)
IBIS, Glossy	JEF-TP 5/4(1) JAW; JEF 5/11(1)
	C5; JEF-TP 5/12(1) JAW
IBIS, White-faced	JEF 6 reps(206)
IBIS, <i>Plegadis</i>	JEF 5 reps(41)
SPOONBILL, Roseate	JEF 13 reps(223)
VULTURE, Black	JAS 1 rep(2); JEF 7 reps(21)
VULTURE, Turkey	JAS 1 rep(3); JEF 14 reps(64)
WHISTI ING-DIICK Black-ball	JEF 5/11(2) MC7/8; JEF-TP 5/11(3)
MC5; JEF-TP 5/12(2) JA	1.0L1 3/11(2) MC/70, 3EF-1F 3/11(3)
WHISTLING-DUCK, Fulvous	JEF 5 reps(35)
DUCK, Wood	HAI 5/26(1) KS
MALLARD	JEF-TP 5/3(2) JAW; JEF-TP 5/11(1)
MC5	3E1-17-3/3(2) 3AVV, 3E7-17-3/11(1)
DUCK, Mottled	JEF 14 reps(197)
TEAL, Blue-winged	JEF 6 reps(159)
SHOVELER, Northern	JEF-TP 5/3(2) JAW; JEF-TP 5/4(2)
JAW; JEF-TP 5/11(2) M	C5
TEAL, Green-winged	JEF-TP 5/11(1) MC5; JEF-TP 5/12(1)
JAW	52. 11 6/1/(1/M66; 52. 11 6/12(1)
DUCK, Ring-necked	JEF-TP 5/3(2) JAW; JEF-TP 5/4(3)
	C5; JEF-TP 5/12(1) JAW
SCAUP, Lesser	JEF-TP 5/3(1) JAW
KITE, Swallow-tailed	JEF 5/28(1) JAW
KITE, White-tailed	JEF 3 reps(3)
HARRIER, Northern	JEF 5/11(1) MC7/8
ACCIPITER species	JEF 5/11(1) MC6
HAWK, Red-shouldered	HAI 1 rep(3); JEF 4 reps(6)
HAWK, Broad-winged	JEF-TP 5/3(1) JAW; JEF-TP 5/12(2)
JAW; JEF 5/30(1) JAW	02 0.0(1) 0.11, 02 0.12(2)
HAWK, Swainson's	JEF 5/11(1) MC7/8; JEF 5/12(1) JAW
HAWK, Red-tailed	HAI-BTNB 5/28(4) AM; JEF 5/11(1)
MC1	
FALCON, Peregrine	JEF 5/11(1) MC9; JEF-TP 5/12(1)
JAW; JEF-SW 5/18(1) J	HH
BOBWHITE, Northern	JEF 5 reps(12)
RAIL, Clapper	JEF 1 rep(10)
RAIL, King	JEF-TP 5/11(1) MC5
GALLINULE, Purple	JEF 5/4(6) JAW; JEF 5/11(4) MC7/8;
JEF 5/11(4) MC8: JFF 5	/12(3) JAW; JEF 5/28(1) JAW
MOORHEN, Common	JEF 9 reps(36)
COOT, American	JEF 4 reps(28)
PLOVER, Black-bellied	JEF 7 reps(68)
GOLDEN-PLOVER, American	JFF 5/4(1) JAW
PLOVER, Semipalmated	JEF 7 reps(95)
KILLDEER	JEF 17 reps(144)
·	υΕι 11 (υρ σ(1 11)

```
JEF 12 reps(180)
JEF 7 reps(35)
STILT. Black-necked
YELLOWLEGS, Greater
YELLOWLEGS, Lesser
                              JEF 9 reps(63)
WILLET
                              JEF 7 reps(26)
SANDPIPER, Spotted
                              JEF-TP 5/3(1) JAW: JEF-TP 5/4(3)
       JAW; JEF 5/11(10) MC6; JEF-SRSP 5/18(3) GD
WHIMBREL
                              JEF 5/4(30) JAW; JEF-TP 5/4(1)
       JAW; JEF 5/6(3) JAW; JEF 5/11(45) JAW; JEF 5/11(2) MC9;
       JEF 5/12(45) JAW
CURLEW, Long-billed
                              JEF 5/11(2) MC7/8
GODWIT, Hudsonian
                              JEF 5/4(2) JAW; JEF 5/6(1) JAW:
       JEF-TP 5/11(60) MC5; JEF-TP 5/12(24) JAW
TURNSTONE, Ruddy
                              JEF 4 reps(81)
KNOT, Red
                              JEF-SRSP 5/11(1) MC11
SANDERLING
                              JEF 2 reps(202)
SANDPIPER, Western
                              JEF 5 reos(358)
SANDPIPER, Peep
                              JEF 5/11(100) MC7/8
SANDPIPER, Least
                              JEF 6 reps(356)
SANDPIPER, White-rumped
                              JEF 8 reps(994)
SANDPIPER, Baird's
                              JEF-TP 5/3(10) JAW; JEF-TP 5/4(5)
       JAW; JEF 5/11(10) MC7
                             /8; JEF-TP 5/11(3) MC5
SANDPIPER, Pectoral
                              JEF 5 reps(33)
DUNLIN
                              JEF 5 reps(102)
SANDPIPER, Stilt
                              JEF 6 reps(1106)
DOWITCHER, Short-billed
                              JEF-SRSP 5/11(7) MC11
DOWITCHER, Long-billed
                              JEF-TP 5/3(200) JAW; JEF-TP
       5/4(10) JAW
DOWITCHER species
                              JEF-TP 5/4(200) JAW; JEF 5/11(3)
       MC6
PHALAROPE, Wilson's
                              JEF-TP 5/3(4) JAW; JEF-TP 5/4(63)
       JAW; JEF 5/11(29) MC9; JEF-TP 5/11(13) MC5; JEF-TP
       5/12(10) JAW
GULL, Laughing
                              JEF 11 reps(213)
                              JEF 1 rep(1)
GULL, Ring-billed
GULL, Herring
                              JEF 1 rep(8)
                              JEF 7 reps(73)
JEF 2 reps(4)
TERN, Caspian
TERN, Royal
TERN, Forster's
                              JEF 9 reps(15)
TERN, Least
TERN, Black
                              JEF 10 reps (175)
                              JEF 6 reps(342)
SKIMMER, Black
                              JEF 3 reps(8)
DOVE, Rock
                              JEF 13 reps(74)
COLLARED-DOVE, Eurasian
                              JEF 16 reps(28); ORA 1 rep(1)
                              JEF 9 reps(20)
DOVE, White-winged
DOVE, Mourning
                              JEF 24 reps(461); ORA 1 rep(2)
DOVE, Inca
                              JEF 8 reps(15)
CUCKOO, Black-billed
                              JEF-SW 5/1(1) JAW
CUCKOO, Yellow-billed
                              HAI 1 rep(1); JAS 1 rep(1); JEF 16
       reps(65)
OWL, Barn
                              JEF 5/11(3) MC1; JEF 5/11(1) MC6
OWL, Barred
                              JEF-TP 5/3(1) JAW; JEF 5/11(1)
      MC7/8
NIGHTHAWK, Common
                              JEF 14 reps(85)
WILL'S-WIDOW, Chuck-
                              JEF-SW 5/18(1) JHH
SWIFT, Chimney
                              HAI 1 rep(5); JAS 1 rep(3); JEF 16
       reps(97)
HUMMINGBIRD, Ruby-thr.
                              HAI 1 rep(2); JEF12 reps(22); ORA 1
      rep(5)
HUMMINGBIRD species
                              JEF-BMT 5/11(1) MC3
WOODPECKER, Red-headed
                              JEF 5/2(1) JAW; JEF 5/28(1) JAW
                             JAS 1 rep(2); JEF 12 reps(36)
HAI 1 rep(2); JEF 12 reps(24)
WOODPECKER, Red-bellied
WOODPECKER, Downy
WOODPECKER, Pileated
                              HAI 2 reps(5); JAS 1 rep(1); JEF 1
```

rep(1); ORA 1 rep(1)

FLYCATCHER, Olive-sided	JEF-SW 5/18(2) AM; JEF-SW 5/18(2)	PARULA, Northern	HAI 2 reps(5); JEF 7 reps(8)
GD; JEF-SW 5/18(2) J	HH	WARBLER, Yellow	JEF20 reps(140)
WOOD-PEWEE, Eastern	JAS 1 rep(2); JEF 17 reps(60)	WARBLER, Chestnut-sided	JEF 14 reps(68)
FLYCATCHER, Yellow-bell.	JEF-SW 5/4(1) JAW; JEF-SW	WARBLER, Magnolia	JEF17 reps(185)
5/12(1) JAW; JEF-SW	5/13(1) JAW; JEF-SW 5/18(2) AM;	WARBLER, Cape May	JEF-SW 5/4(1) JAW; JEF 5/15(1)
JEF-SW 5/18(10) GD;		JHH; JEF-TXPT 5/18(1)	
FLYCATCHER, Acadian	JAS 1 rep(5); JEF 1 rep(4)	WARBLER, Black-thr. Blue	JEF-SW 5/1(1) JAW; JEF-SW 5/3(1)
FLYCATCHER, Alder	JEF-SW 5/5(2) MW; JEF-SW 5/12(1)		W; JEF-SW 5/5(1) MW; JEF-SW
JAW	()	5/14(1) GD	,
FLYCATCHER, Willow	JEF-SW 5/1(1) JAW; JEF 5/11(1)	WARBLER, Yellow-rumped	JEF-SW 5/11(1) MC10
MC3	() ()	WARBLER, Black-thr. Green	
FLYCATCHER, Traill's	JEF-SW 5/4(3) JAW; JEF-SW		W; JEF-SW 5/13(3) JAW; JEF-SW
5/11(1) MC10; JEF-SW	/ 5/18(4) GD		14(1) JHH; JEF-SW 5/18(3) GD
FLYCATCHER, Least	JEF-SW 5/1(3) JAW; JEF-SW	WARBLER, Blackburnian	JEF 11 reps(53)
5/18(3) AM: JEF-SW 5	/18(3) GD; JEF-SW 5/18(2) JHH	WARBLER, Yellow-throated	HAI-BTNB 5/28(3) AM
EMPIDONAX species	JEF 6 reps(80)	WARBLER, Pine	HAI 1 rep(6); JAS 2 reps(11); JEF 1
FLYCATCHER, Vermilion	JEF-BMT 5/11(1) MC3	rep(2)	11/11 1 10p(0), 0/10 2 10p3(11), 0E1 1
FLYCATCHER, Gt. Crested	JEF-SW 5/18(1) AM; JEF-SW 5/18(3)	WARBLER, Bay-breasted	JEF 12 reps(54)
	HH; JEF-SW 5/19(1) JHH; JEF-SW	WARBLER, Blackpoll	JEF13 reps(31)
5/24(3) DV	, 02. 01. 0. 10(1) 01.11, 02. 011	WARBLER, Black-and-white	JEF 13 reps(38)
KINGBIRD, Eastern	JEF 28 reps(258)	REDSTART, American	JEF 20 reps(151)
FLYCATCHER, Scissor-tail.	JEF 20 reps(87)	WARBLER, Prothonotary	HAI 2 reps(4); JEF 3 reps(8)
SHRIKE, Loggerhead	JEF 22 reps(176)	WARBLER, Swainson's	JEF-SW 5/1(1) JAW
VIREO, White-eyed	HAI 1 rep(3); JAS 1 rep(2); JEF 12	OVENBIRD	JEF 10 reps(14)
reps(26)	13 (1 1 10p(0), 0/10 1 10p(2), 021 12	WATERTHRUSH, Northern	JEF15 reps(28)
VIREO, Yellow-throated	HAI 1 rep(1); JAS 2 reps(2); JEF 2	WARBLER, Mourning	JEF-SW 5/18(2) AM; JEF-SW 5/18(2)
reps(2)	1.5p(1), 0/10 2 10p3(2), 0E1 2		1H; JEF-SW 5/16(2) AM, JEF-SW 5/16(2)
VIREO, Blue-headed	JEF-SW 5/14(1) JHH; JEF-SW	YELLOWTHROAT, Common	JEF 23 reps(75)
5/18(1) JHH	021 -044 0, 14(1) 07111, 021 -044	WARBLER, Hooded	HAI 1 rep(2); JAS 2 reps(5); JEF 4
VIREO, Warbling	JEF-SW 5/14(1) GD; JEF-SW 5/14(1)	reps(5)	11/21 1 10p(2), 0/20 2 10ps(3), 0/21 4
	AM; JEF-SW 5/18(2) GD	WARBLER, Canada	JEF 10 reps(145)
VIREO, Philadelphia	JEF 10 reps(37)	CHAT, Yellow-breasted	HAI 5/26(1) KS; JAS 5/19(4) KS
VIREO, Red-eyed	HAI 2 reps(5); JAS 1 rep(1); JEF 21	TANAGER, Summer	HAI 1 rep(3); JAS 1 rep(2); JEF 11
reps(142)	: :: : = : op(()); or (o : !op(()); oz.: = :	reps(22)	1 // 1 / 1 (b)(b), b/ (b / 1 (b)(2), b(1 / 1
JAY, Blue	HAI 1 rep(3); JEF 20 reps(100)	TANAGER, Scarlet	JEF 12 reps(47)
CROW, American	JEF 3 reps(24)	SPARROW, Savannah	JEF 5/11(2) MC1
CROW, Fish	HAI 1 rep(3); JEF 8 reps(28)	SPARROW, Seaside	JEF 1 rep(7)
CROW, species	JEF 10 reps(21)	CARDINAL, Northern	HAI 1 rep(6); JEF 22 reps(187)
MARTIN, Purple	JEF 20 reps(216)	GROSBEAK, Rose-breasted	JEF 12 reps(20)
SWALLOW, Tree	JEF 10 reps(91)	BUNTING, Indigo	JEF 11 reps(33)
	d JEF-SW 5/4(3) JAW; JEF-SW 5/7(3)	BUNTING, Painted	JEF 15 reps(33)
JAW; JEF-TP 5/11(1) N		DICKCISSEL	JEF 8 reps(59)
SWALLOW, Bank	JEF 5/11(1) MC9; JEF-SRSP 5/11(4)	BLACKBIRD, Red-winged	JEF 18 reps(503)
MC11	155 OM 5(4(4) 1414 155 5(6)	MEADOWLARK, Eastern	JEF 9 reps(122)
SWALLOW, Cliff	JEF-SW 5/1(1) JAW; JEF 5/2(2)	MEADOWLARK species	JEF 6 reps(24)
	JEF 5/5(5) MW; JEF 5/7(2) JAW;	GRACKLE, Common	JEF 20 reps(423)
JEF-SRSP 5/11(25) MC		GRACKLE, Boat-tailed	JEF 13 reps(116)
SWALLOW, Barn	JEF 20 reps(285)	GRACKLE, Great-tailed	JEF 21 reps(251)
SWALLOW species CHICKADEE, Carolina	JEF 2 reps(7) HAI 2 reps(9); JAS 1 rep(3); JEF 6	COWBIRD, Brown-headed	JEF 14 reps(82)
reps(17)	HAI 2 (eps(9), JAS 1 (ep(5), JEP 6	ORIOLE, Orchard	JEF 13 reps (241)
TITMOUSE, Tufted	HAI 1 rep(4); JAS 1 rep(3); JEF 4	ORIOLE, Baltimore	JEF 12 reps (23)
reps(8)	11A1 (1ep(4), 3A3 (1ep(3), 3EF 4	FINCH, House MC6; JEF-BMT 5/11(5)	JEF-NEDR 5/6(2) JAW; JEF 5/11(2)
NUTHATCH, Brown-headed	HAI 5/26(4) KS; JAS 5/19(1) KS		JEF 20 reps(146)
WREN, Carolina	HAI 1 rep(2); JAS 1 rep(3); JEF 8	SPARROW, House	, , ,
reps(22)	/ ii ii · · · · · · · · · · · · · · · ·	Number of Species	184
WREN, Marsh	JEF 5/11(1) MC12; JEF 5/28(6) JAW	Number of Individuals	17249
GNATCATCHER, Blue-gray			
	HAI 5/26(2) KS: JAS 5/19(4) KS:		
	HAI 5/26(2) KS; JAS 5/19(4) KS;	Jur	ne 2002
JEF-SW 5/4(1) JAW	HAI 5/26(2) KS; JAS 5/19(4) KS; HAI 1 rep(3); JEF 3 reps(17)	Jur	ne 2002
JEF-SW 5/4(1) JAW BLUEBIRD, Eastern VEERY THRUSH, Gray-cheeked	HAI 1 rep(3); JEF 3 reps(17)	CORMORANT, Neotropic	JEF 4 reps(29); ORA 2 reps(45)
JEF-SW 5/4(1) JAW BLUEBIRD, Eastern VEERY	HAI 1 rep(3); JEF 3 reps(17) JEF 8 reps(16) JEF11 reps(23) JEF16 reps(182)	CORMORANT, Neotropic ANHINGA	JEF 4 reps(29); ORA 2 reps(45) ORA 1 rep(10)
JEF-SW 5/4(1) JAW BLUEBIRD, Eastern VEERY THRUSH, Gray-cheeked	HAI 1 rep(3); JEF 3 reps(17) JEF 8 reps(16) JEF11 reps(23)	CORMORANT, Neotropic ANHINGA HERON, Great Blue	JEF 4 reps(29); ORA 2 reps(45) ORA 1 rep(10) JEF 1 rep(1)
JEF-SW 5/4(1) JAW BLUEBIRD, Eastern VEERY THRUSH, Gray-cheeked THRUSH, Swainson's THRUSH, Wood reps(5)	HAI 1 rep(3); JEF 3 reps(17) JEF 8 reps(16) JEF11 reps(23) JEF16 reps(182)	CORMORANT, Neotropic ANHINGA HERON, Great Blue EGRET, Great	JEF 4 reps(29); ORA 2 reps(45) ORA 1 rep(10)
JEF-SW 5/4(1) JAW BLUEBIRD, Eastern VEERY THRUSH, Gray-cheeked THRUSH, Swainson's THRUSH, Wood reps(5) ROBIN, American	HAI 1 rep(3); JEF 3 reps(17) JEF 8 reps(16) JEF11 reps(23) JEF16 reps(182) HAI 1 rep(1); JAS 2 reps(2); JEF 5 JEF 12 reps(55)	CORMORANT, Neotropic ANHINGA HERON, Great Blue EGRET, Great reps(154)	JEF 4 reps(29); ORA 2 reps(45) ORA 1 rep(10) JEF 1 rep(1) HAI 1 rep(1); JEF 3 reps(272); ORA 4
JEF-SW 5/4(1) JAW BLUEBIRD, Eastern VEERY THRUSH, Gray-cheeked THRUSH, Swainson's THRUSH, Wood reps(5) ROBIN, American CATBIRD, Gray	HAI 1 rep(3); JEF 3 reps(17) JEF 8 reps(16) JEF11 reps(23) JEF16 reps(182) HAI 1 rep(1); JAS 2 reps(2); JEF 5 JEF 12 reps(55) JEF 9 reps(241)	CORMORANT, Neotropic ANHINGA HERON, Great Blue EGRET, Great reps(154) EGRET, Snowy	JEF 4 reps(29); ORA 2 reps(45) ORA 1 rep(10) JEF 1 rep(1) HAI 1 rep(1); JEF 3 reps(272); ORA 4 JEF 4 reps(42)
JEF-SW 5/4(1) JAW BLUEBIRD, Eastern VEERY THRUSH, Gray-cheeked THRUSH, Swainson's THRUSH, Wood reps(5) ROBIN, American CATBIRD, Gray MOCKINGBIRD, Northern	HAI 1 rep(3); JEF 3 reps(17) JEF 8 reps(16) JEF11 reps(23) JEF16 reps(182) HAI 1 rep(1); JAS 2 reps(2); JEF 5 JEF 12 reps(55) JEF 9 reps(241) JEF 26 reps(593)	CORMORANT, Neotropic ANHINGA HERON, Great Blue EGRET, Great reps(154)	JEF 4 reps(29); ORA 2 reps(45) ORA 1 rep(10) JEF 1 rep(1) HAI 1 rep(1); JEF 3 reps(272); ORA 4
JEF-SW 5/4(1) JAW BLUEBIRD, Eastern VEERY THRUSH, Gray-cheeked THRUSH, Swainson's THRUSH, Wood reps(5) ROBIN, American CATBIRD, Gray MOCKINGBIRD, Northern THRASHER, Brown	HAI 1 rep(3); JEF 3 reps(17) JEF 8 reps(16) JEF11 reps(23) JEF16 reps(182) HAI 1 rep(1); JAS 2 reps(2); JEF 5 JEF 12 reps(55) JEF 9 reps(241) JEF 26 reps(593) JEF-SW 5/1(1) JAW; JEF-SW 5/4(1)	CORMORANT, Neotropic ANHINGA HERON, Great Blue EGRET, Great reps(154) EGRET, Snowy HERON, Little Blue	JEF 4 reps(29); ORA 2 reps(45) ORA 1 rep(10) JEF 1 rep(1) HAI 1 rep(1); JEF 3 reps(272); ORA 4 JEF 4 reps(42) JEF 2 reps(4) JEF 5 reps(20); ORA 1 rep(1)
JEF-SW 5/4(1) JAW BLUEBIRD, Eastern VEERY THRUSH, Gray-cheeked THRUSH, Swainson's THRUSH, Wood reps(5) ROBIN, American CATBIRD, Gray MOCKINGBIRD, Northern THRASHER, Brown JAW; JEF 5/5(1) KS; J	HAI 1 rep(3); JEF 3 reps(17) JEF 8 reps(16) JEF11 reps(23) JEF16 reps(182) HAI 1 rep(1); JAS 2 reps(2); JEF 5 JEF 12 reps(55) JEF 9 reps(241) JEF 26 reps(593)	CORMORANT, Neotropic ANHINGA HERON, Great Blue EGRET, Great reps(154) EGRET, Snowy HERON, Little Blue HERON, Tricolored	JEF 4 reps(29); ORA 2 reps(45) ORA 1 rep(10) JEF 1 rep(1) HAI 1 rep(1); JEF 3 reps(272); ORA 4 JEF 4 reps(42) JEF 2 reps(4)
JEF-SW 5/4(1) JAW BLUEBIRD, Eastern VEERY THRUSH, Gray-cheeked THRUSH, Swainson's THRUSH, Wood reps(5) ROBIN, American CATBIRD, Gray MOCKINGBIRD, Northern THRASHER, Brown JAW; JEF 5/5(1) KS; JI	HAI 1 rep(3); JEF 3 reps(17) JEF 8 reps(16) JEF11 reps(23) JEF16 reps(182) HAI 1 rep(1); JAS 2 reps(2); JEF 5 JEF 12 reps(55) JEF 9 reps(241) JEF 26 reps(593) JEF-SW 5/1(1) JAW; JEF-SW 5/4(1) EF 5/11(1) MC7/8; JEF-SW 5/11(1)	CORMORANT, Neotropic ANHINGA HERON, Great Blue EGRET, Great reps(154) EGRET, Snowy HERON, Little Blue HERON, Tricolored EGRET, Cattle	JEF 4 reps(29); ORA 2 reps(45) ORA 1 rep(10) JEF 1 rep(1) HAI 1 rep(1); JEF 3 reps(272); ORA 4 JEF 4 reps(42) JEF 2 reps(4) JEF 5 reps(20); ORA 1 rep(1) JEF 9 reps(65); ORA 3 reps(25) JEF 3 reps(5); ORA 2 reps(2)
JEF-SW 5/4(1) JAW BLUEBIRD, Eastern VEERY THRUSH, Gray-cheeked THRUSH, Swainson's THRUSH, Wood reps(5) ROBIN, American CATBIRD, Gray MOCKINGBIRD, Northern THRASHER, Brown JAW; JEF 5/5(1) KS; JI MC10 STARLING, European	HAI 1 rep(3); JEF 3 reps(17) JEF 8 reps(16) JEF11 reps(23) JEF16 reps(182) HAI 1 rep(1); JAS 2 reps(2); JEF 5 JEF 12 reps(55) JEF 9 reps(241) JEF 26 reps(593) JEF-SW 5/1(1) JAW; JEF-SW 5/4(1) EF 5/11(1) MC7/8; JEF-SW 5/11(1) JEF 21 reps(488)	CORMORANT, Neotropic ANHINGA HERON, Great Blue EGRET, Great reps(154) EGRET, Snowy HERON, Little Blue HERON, Tricolored EGRET, Cattle HERON, Green	JEF 4 reps(29); ORA 2 reps(45) ORA 1 rep(10) JEF 1 rep(1) HAI 1 rep(1); JEF 3 reps(272); ORA 4 JEF 4 reps(42) JEF 2 reps(4) JEF 5 reps(20); ORA 1 rep(1) JEF 9 reps(65); ORA 3 reps(25) JEF 3 reps(5); ORA 2 reps(2) ed JEF 2 reps(6) JEF 8 reps(9); ORA 1 rep(4)
JEF-SW 5/4(1) JAW BLUEBIRD, Eastern VEERY THRUSH, Gray-cheeked THRUSH, Swainson's THRUSH, Wood reps(5) ROBIN, American CATBIRD, Gray MOCKINGBIRD, Northern THRASHER, Brown JAW; JEF 5/5(1) KS; JI MC10 STARLING, European WAXWING, Cedar	HAI 1 rep(3); JEF 3 reps(17) JEF 8 reps(16) JEF11 reps(23) JEF16 reps(182) HAI 1 rep(1); JAS 2 reps(2); JEF 5 JEF 12 reps(55) JEF 9 reps(241) JEF 26 reps(593) JEF-SW 5/1(1) JAW; JEF-SW 5/4(1) EF 5/11(1) MC7/8; JEF-SW 5/11(1) JEF 21 reps(488) JEF 5/1(20) JAW; JEF-SW 5/1(20)	CORMORANT, Neotropic ANHINGA HERON, Great Blue EGRET, Great reps(154) EGRET, Snowy HERON, Little Blue HERON, Tricolored EGRET, Cattle HERON, Green NIGHT-HERON, Black-crowne NIGHT-HERON, Yellow-cr. IBIS, White	JEF 4 reps(29); ORA 2 reps(45) ORA 1 rep(10) JEF 1 rep(1) HAI 1 rep(1); JEF 3 reps(272); ORA 4 JEF 4 reps(42) JEF 2 reps(4) JEF 5 reps(20); ORA 1 rep(1) JEF 9 reps(65); ORA 3 reps(25) JEF 3 reps(5); ORA 2 reps(2) d JEF 2 reps(6) JEF 8 reps(9); ORA 1 rep(4) JEF 3 reps(23)
JEF-SW 5/4(1) JAW BLUEBIRD, Eastern VEERY THRUSH, Gray-cheeked THRUSH, Swainson's THRUSH, Wood reps(5) ROBIN, American CATBIRD, Gray MOCKINGBIRD, Northern THRASHER, Brown JAW; JEF 5/5(1) KS; JI MC10 STARLING, European WAXWING, Cedar JAW; JEF 5/2(10) JAW	HAI 1 rep(3); JEF 3 reps(17) JEF 8 reps(16) JEF11 reps(23) JEF16 reps(182) HAI 1 rep(1); JAS 2 reps(2); JEF 5 JEF 12 reps(55) JEF 9 reps(241) JEF 26 reps(593) JEF-SW 5/1(1) JAW; JEF-SW 5/4(1) EF 5/11(1) MC7/8; JEF-SW 5/11(1) JEF 21 reps(488) JEF 5/1(20) JAW; JEF-SW 5/1(20) /; JEF-SW 5/2(1) JAW	CORMORANT, Neotropic ANHINGA HERON, Great Blue EGRET, Great reps(154) EGRET, Snowy HERON, Little Blue HERON, Tricolored EGRET, Cattle HERON, Green NIGHT-HERON, Black-crowne NIGHT-HERON, Yellow-cr. IBIS, White SPOONBILL, Roseate	JEF 4 reps(29); ORA 2 reps(45) ORA 1 rep(10) JEF 1 rep(1) HAI 1 rep(1); JEF 3 reps(272); ORA 4 JEF 4 reps(42) JEF 2 reps(4) JEF 5 reps(20); ORA 1 rep(1) JEF 9 reps(65); ORA 3 reps(25) JEF 3 reps(5); ORA 2 reps(2) d JEF 2 reps(6) JEF 8 reps(9); ORA 1 rep(4) JEF 3 reps(23) JEF 4 reps(85); ORA 2 reps(50)
JEF-SW 5/4(1) JAW BLUEBIRD, Eastern VEERY THRUSH, Gray-cheeked THRUSH, Swainson's THRUSH, Wood reps(5) ROBIN, American CATBIRD, Gray MOCKINGBIRD, Northern THRASHER, Brown JAW; JEF 5/5(1) KS; JI MC10 STARLING, European WAXWING, Cedar JAW; JEF 5/2(10) JAW WARBLER, Golden-winged	HAI 1 rep(3); JEF 3 reps(17) JEF 8 reps(16) JEF11 reps(23) JEF16 reps(182) HAI 1 rep(1); JAS 2 reps(2); JEF 5 JEF 12 reps(55) JEF 9 reps(241) JEF 26 reps(593) JEF-SW 5/1(1) JAW; JEF-SW 5/4(1) EF 5/11(1) MC7/8; JEF-SW 5/11(1) JEF 21 reps(488) JEF 5/1(20) JAW; JEF-SW 5/1(20) /; JEF-SW 5/2(1) JAW JEF-SW 5/3(1) JHH; JEF-SW 5/4(1)	CORMORANT, Neotropic ANHINGA HERON, Great Blue EGRET, Great reps(154) EGRET, Snowy HERON, Little Blue HERON, Tricolored EGRET, Cattle HERON, Green NIGHT-HERON, Black-crowne NIGHT-HERON, Yellow-cr. IBIS, White SPOONBILL, Roseate STORK, Wood	JEF 4 reps(29); ORA 2 reps(45) ORA 1 rep(10) JEF 1 rep(1) HAI 1 rep(1); JEF 3 reps(272); ORA 4 JEF 4 reps(42) JEF 2 reps(4) JEF 5 reps(20); ORA 1 rep(1) JEF 9 reps(65); ORA 3 reps(25) JEF 3 reps(5); ORA 2 reps(2) d JEF 2 reps(6) JEF 8 reps(9); ORA 1 rep(4) JEF 3 reps(23) JEF 4 reps(85); ORA 2 reps(50) JEF 6/27(3) JH
JEF-SW 5/4(1) JAW BLUEBIRD, Eastern VEERY THRUSH, Gray-cheeked THRUSH, Swainson's THRUSH, Wood reps(5) ROBIN, American CATBIRD, Gray MOCKINGBIRD, Northern THRASHER, Brown JAW; JEF 5/5(1) KS; JI MC10 STARLING, European WAXWING, Cedar JAW; JEF 5/2(10) JAW WARBLER, Golden-winged JAW; JEF-SW 5/14(1)	HAI 1 rep(3); JEF 3 reps(17) JEF 8 reps(16) JEF11 reps(23) JEF16 reps(182) HAI 1 rep(1); JAS 2 reps(2); JEF 5 JEF 12 reps(55) JEF 9 reps(241) JEF 26 reps(593) JEF-SW 5/1(1) JAW; JEF-SW 5/4(1) EF 5/11(1) MC7/8; JEF-SW 5/11(1) JEF 21 reps(488) JEF 5/1(20) JAW; JEF-SW 5/1(20) /; JEF-SW 5/2(1) JAW JEF-SW 5/3(1) JHH; JEF-SW 5/4(1) GD; JEF-SW 5/14(1) JHH	CORMORANT, Neotropic ANHINGA HERON, Great Blue EGRET, Great reps(154) EGRET, Snowy HERON, Little Blue HERON, Tricolored EGRET, Cattle HERON, Green NIGHT-HERON, Black-crowne NIGHT-HERON, Yellow-cr. IBIS, White SPOONBILL, Roseate	JEF 4 reps(29); ORA 2 reps(45) ORA 1 rep(10) JEF 1 rep(1) HAI 1 rep(1); JEF 3 reps(272); ORA 4 JEF 4 reps(42) JEF 2 reps(4) JEF 5 reps(20); ORA 1 rep(1) JEF 9 reps(65); ORA 3 reps(25) JEF 3 reps(5); ORA 2 reps(2) d JEF 2 reps(6) JEF 8 reps(9); ORA 1 rep(4) JEF 3 reps(23) JEF 4 reps(85); ORA 2 reps(50)
JEF-SW 5/4(1) JAW BLUEBIRD, Eastern VEERY THRUSH, Gray-cheeked THRUSH, Swainson's THRUSH, Wood reps(5) ROBIN, American CATBIRD, Gray MOCKINGBIRD, Northern THRASHER, Brown JAW; JEF 5/5(1) KS; JI MC10 STARLING, European WAXWING, Cedar JAW; JEF 5/2(10) JAW WARBLER, Golden-winged	HAI 1 rep(3); JEF 3 reps(17) JEF 8 reps(16) JEF11 reps(23) JEF16 reps(182) HAI 1 rep(1); JAS 2 reps(2); JEF 5 JEF 12 reps(55) JEF 9 reps(241) JEF 26 reps(593) JEF-SW 5/1(1) JAW; JEF-SW 5/4(1) EF 5/11(1) MC7/8; JEF-SW 5/11(1) JEF 21 reps(488) JEF 5/1(20) JAW; JEF-SW 5/1(20) /; JEF-SW 5/2(1) JAW JEF-SW 5/3(1) JHH; JEF-SW 5/4(1)	CORMORANT, Neotropic ANHINGA HERON, Great Blue EGRET, Great reps(154) EGRET, Snowy HERON, Little Blue HERON, Tricolored EGRET, Cattle HERON, Green NIGHT-HERON, Black-crowne NIGHT-HERON, Yellow-cr. IBIS, White SPOONBILL, Roseate STORK, Wood	JEF 4 reps(29); ORA 2 reps(45) ORA 1 rep(10) JEF 1 rep(1) HAI 1 rep(1); JEF 3 reps(272); ORA 4 JEF 4 reps(42) JEF 2 reps(4) JEF 5 reps(20); ORA 1 rep(1) JEF 9 reps(65); ORA 3 reps(25) JEF 3 reps(5); ORA 2 reps(2) d JEF 2 reps(6) JEF 8 reps(9); ORA 1 rep(4) JEF 3 reps(23) JEF 4 reps(85); ORA 2 reps(50) JEF 6/27(3) JH

rep(3)	1141 (1) 155 (15)	CROW, species	JEF 5 reps(19); ORA 1 rep(2)
VULTURE, Turkey	HAI 1 rep(1); JEF 3 reps(12)	MARTIN, Purple	HAI 1 rep(4); JEF 10 reps(48); ORA 1
WHISTLING-DUCK, Black-bel		rep(22)	4 ODA 0/0/4) DD ODA 0/40/0) DV4
DUCK, Wood	ORA 6/9(6) KS; ORA 6/10(25) RP;		d ORA 6/9(4) RP; ORA 6/16(6) PW
ORA 6/16(50) PW	IEE CDCD 6/0/4\ IA\AI	SWALLOW, Cliff	JEF 6/9(1) JAW; JEF-SRSP 6/9(16)
SCAUP, Lesser KITE, White-tailed	JEF-SRSP 6/9(1) JAW JEF 1 rep(1)		W; JEF 6/23(2) KS; JEF-TX87 6/23(10)
HAWK, Sharp-shinned	HAI 6/16(1) KS	JAW SWALLOW Born	HAL1 rop(1): IEE 6 rope(77): ODA 1
HAWK, Red-shouldered	HAI 2 reps(2); JEF 1 rep(2); ORA 2	SWALLOW, Barn	HAI 1 rep(1); JEF 6 reps(77); ORA 1
reps(7)	TIMI 2 Teps(2), SET T Tep(2), OTA 2	rep(22) CHICKADEE, Carolina	HAI 2 reps(14); JEF 2 reps(3); ORA 2
HAWK, Broad-winged	JEF 6/3(1) JAW; JEF 6/8(1) JAW	reps(24)	HAI 2 Teps(14), JEP 2 Teps(3), ORA 2
HAWK, Swainson's	JEF 6/12(1) JAW; JEF 6/18(1) JAW	TITMOUSE, Tufted	HAI 1 rep(12); ORA 2 reps(7)
HAWK, Red-tailed	HAI 6/8(1) FTHC; JEF 6/8(1) JAW	NUTHATCH, Brown-headed	HAI 6/8(3) FTHC; HAI-SNDY 6/30(4)
KESTREL, American	HAI 6/8(1) FTHC	KS	11A1 0/0(3) F1110, 11A1-3ND 1 0/30(4)
RAIL, Clapper	JEF 2 reps(2)	WREN, Carolina	HAI 2 reps(3); ORA 3 reps(6)
GALLINULE, Purple	JEF 6/30(2) JAW	GNATCATCHER, Blue-gray	HAI 6/8(1) FTHC
MOORHEN, Common	JEF 1 rep(4)	BLUEBIRD, Eastern	HAI 3 reps(8); ORA 2 reps(4)
PLOVER, Black-bellied	JEF 1 rep(2)	THRUSH, Wood	HAI 6/16(1) KS
PLOVER, Wilson's	JEF 1 rep(1)	ROBIN, American	JEF 17 reps(43)
KILLDEER	HAI 1 rep(4); JEF 2 reps(5); ORA 1	CATBIRD, Gray	HAI 6/8(2) FTHC; JEF-BMT 6/3(2)
rep(2)		RAJ	
STILT, Black-necked	JEF 3 reps(6)	MOCKINGBIRD, Northern	HAI 1 rep(1); JEF 10 reps(40); ORA 2
WILLET	JEF 2 reps(16)	reps(19)	
SANDERLING	JEF 1 rep(5)	THRASHER, Brown	HAI 6/8(7) FTHC; JEF-BMT 6/3(2)
DOWITCHER, Short-billed	JEF-SRSP 6/9(2) JAW	RAJ; ORA 6/16(0) PW	1
GULL, Laughing	JEF 1 rep(13)	STARLING, European	HAI 2 reps(11); JEF 9 reps(61); ORA
TERN, Gull-billed	JEF 1 rep(1)	2 reps(23)	
TERN, Royal	JEF 1 rep(30)	PARULA, Northern	HAI 1 rep(2); ORA 2 reps(6)
TERN, Common	JEF 6/30(1) JAW	WARBLER, Yellow	JEF-SW 6/5(1) RJ
TERN, Forster's	JEF 3 reps(17)	WARBLER, Pine	HAI 2 reps(9); JEF 1 rep(1)
TERN, Least	JEF 2 reps(81)	WARBLER, Prairie	HAI 6/8(1) FTHC
TERN, Black	JEF 2 reps(60)	WARBLER, Prothonotary	ORA 1 rep(4)
SKIMMER, Black	JEF 2 reps(3)	YELLOWTHROAT, Common	JEF 3 reps(5); ORA 1 rep(2)
DOVE, Rock	JEF 6 reps(34); ORA 2 reps(41)	WARBLER, Hooded	HAI 2 reps(4)
COLLARED-DOVE, Euras. JEF 6/5(3) JAW; JEF-	HAI 6/8(1) FTHC; JEF 6/3(1) JAW;	CHAT, Yellow-breasted	HAI 6/8(1) FTHC
DOVE, White-winged	JEF 13 reps(53)	TANAGER, Summer	HAI 1 rep(2); JEF 1 rep(1); ORA 1
DOVE, White-winged DOVE, Mourning	HAI 2 reps(6); JEF 15 reps(112);	rep(1) SPARROW, Seaside	JEF 1 rep(8)
ORA 1 rep(4)	11/11/2 1eps(0), 3/11/13 1eps(11/2),	CARDINAL, Northern	HAI 1 rep(9); JEF 8 reps(13); ORA 1
DOVE, Inca	JEF 7 reps(9)	rep(3)	11A1 1 1ep(9), 3L1 0 1eps(13), Olox 1
CUCKOO, Yellow-billed	HAI 2 reps(3); JEF 5 reps(6); ORA 1	BUNTING, Indigo	HAI 6/8(2) FTHC; JEF-SW 6/23(1)
rep(2)	::::: = :opo(o);	JAW	1011 0/0(2)1 1110, 021 -044 0/20(1)
ROADRUNNER, Greater	HAI 6/8(3) FTHC	BUNTING, Painted	HAI 6/8(1) FTHC; HAI-SNDY 6/30(2)
OWL, Barn	JEF-SW 6/23(1) KS	KS; ORA 6/9(3) KS	12.11.07.0(1) 1.11.07.12.11.01.12.1.07.00(2)
OWL, Barred	ORA 6/9(1) KŠ	BLACKBIRD, Red-winged	JEF 4 reps(59)
NIGHTHAWK, Common	JEF 5 reps(8)	MEADOWLARK, Eastern	JEF 1 rep(1)
SWIFT, Chimney	JEF 11 reps(27)	GRACKLE, Common	JEF 9 reps(36); ORA 1 rep(9)
HUMMINGBIRD, Ruby-thr.	JEF-BMT 6/3(1) RAJ; ORA 6/9(1) KS	GRACKLE, Boat-tailed	JEF 2 reps(29)
HUMMINGBIRD species	HAI 6/8(2) FTHC; JEF-BMT 6/3(1)	GRACKLE, Great-tailed	JEF 10 reps(46)
RAJ		ORIOLE, Orchard	HAI 1 rep(4); JEF 2 reps(6)
KINGFISHER, Belted	ORA 6/2(1) KS	FINCH, House	HAI 1 rep(1); JEF 4 reps(18)
	HAI 6/8(4) FTHC; ORA 6/2(1) KS;	SPARROW, House	JEF 12 reps(56); ORA 1 rep(1)
	6/16(1) PW; ORA 6/19(1) KS	Number of Species	110
WOODPECKER, Red-bellied reps(11)	HAI 3 reps(7); JEF 4 reps(4); ORA 3	Number of Individuals	2695
WOODPECKER, Downy	HAI 2 reps(4); JEF 5 reps(7); ORA 3	County Abbreviations:	
reps(7)	11/41 2 10p3(+), 3E1 3 1ep3(1), 0144 3	HAI - Hardin; JAS - Jasper; JEI	F - lefferson: ORA - Orange
FLICKER, Northern	JEF-NEDR 6/29(1) JAW; ORA 6/9(1)	•	- Jenerson, Orva - Orange
KS	52. (123.(5,25(1) 5, 111; 5,10 (6,5(1)	Location Codes:	
WOODPECKER, Pileated	HAI 1 rep(2); ORA 2 reps(2)		mont; BTNB - Big Thicket NP - Neches
FLYCATCHER, Acadian	HAI 2 reps(6); ORA 1 rep(1)		NDY - Nature Conservancy Sandyland
FLYCATCHER, Gt. Crested	HAI 6/8(2) FTHC; HAI 6/29(2) KS;		State Park; SW - Sabine Woods; TP -
JEF-BMT 6/3(2) RAJ	(, -, -, -, -, -, -, -, -, -, -, -, -, -,		h; TX87 - Texas 87 Pt. Arthur-Sabine
KINGBIRD, Eastern	HAI 1 rep(2); JEF 5 reps(27); ORA 2	Pass-Sea Rim; TXPT - Road to	Pliot Station at Texas Point
reps(2)		Observer Abbreviations:	
FLYCATCHER, Scissor-tail.	JEF 3 reps(5); ORA 1 rep(1)		on Verser; FTHC - Field Trip to Hardin
SHRIKE, Loggerhead	JEF 9 reps(25); ORA 1 rep(1)		AW - John Whittle; JH - Joe Halbrook;
VIREO, White-eyed	HAI 2 reps(17); JEF 1 rep(1); ORA 2		Ken Sztraky; MC1 - Migration Count
reps(3)	11114 (A) ODA 6		Area 2 Don and Nancy Fisher); MC3 -
VIREO, Yellow-throated	HAI 1 rep(1); ORA 2 reps(2)		hewood, Winette and Brad Hogue, John
VIREO, Red-eyed	HAI 1 rep(2)		Whittle); MC5 - (Area 5 Don and Nancy
JAY, Blue	HAI 1 rep(1); JEF 12 reps(42); ORA 2		Area 6 Sandi Cook and Jana Whittle);
reps(14)	HA14 ron/4): IEE 4/4): ODA 4		and Ken Sztraky); MC8 - (Area 8 John Mayes); MC10 - (Area 10 Steve Mayes);
CROW, American	HAI 1 rep(1); JEF 1 rep(1); ORA 1		wayes); MC10 - (Area 10 Steve Mayes);); MC12 - (Area 12 Steve Mayes); MW -
rep(4) CROW, Fish	IEE 8/23/3) Ke- ODA 8/2/2) Ke-		; PW - Royce Pendergast, John Whittle;
ORA 6/16(1) PW	JEF 6/23(3) KS; ORA 6/2(2) KS;		Ray Jordan; RP - Royce Pendergast
O107 0/10(1) F **			,
	[)	

Spring 2002 Migration Summary

Once again, we present, largely in tabular form, a summary of the sightings of passerine neotropical migrants. The methodology employed was as follows. We considered four "locations": Sabine Woods, the Willows at Sea Rim State Park, the road to the Pilot Station at Texas Point, and points elsewhere along Texas 87 west of Sabine Pass. If there were multiple reports for any given location on any given day, the highest count for each species submitted by any of the observers was used. The counts for each of the four locations were added to determine the total of that

species reported on that day. It will be noted that there were many more reports from Sabine Woods than for any of the other sites.

The following observers submitted reports for multiple days: Gerald Duhon John Haynes, Art Mackinnon; Steve Mayes, Don Quaintance, Ken Sztraky, and John and Jana Whittle. Others whose reports were used were Ray Jordan, Rose Ann Jordan, Sherrie Roden and Don Verser, Our apologies to anyone we may have omitted.

We now have data for each year since 1996

compiled under the same procedure. While it would be certainly not be valid to try to use the data to determine overall trends in neotropical songbird migrant numbers – the vagaries of weather conditions make that almost impossible to do based on observations at the coast – there may be interesting information on the relative abundance of species which normally migrate in the same time window. It may be possible to detect is any species are tending to migrate earlier. Copies of all previous years compilations are available from the editor on request.

Spring 2002 Migration -- Coast of Jefferson County -- Flycatchers

					MĀI	RCH		-		1						API	DII				_							Doni					-														
Date	9	12	14	19	22	23	24	25	30	31	MAR	2	4	8	10	40	140	1 4	- 1 -	414	-	4 24		122		== 1		PRIL	_						L.,					MAY					T		
Number of Reports	3	1	1	1	1	1	1	1	1	2	TOT	1	2	1	2	1	2	-	1	4 1	?];	TOT	16	19	20	21	22	23 2	4 2	5 26	27	28	29	AP2	1	2	5	7	11	12	13	14	18	19	20	MAY	GRAN
WOOD-PEWEE, Eastern									-	-		H	7	÷	+=	+;	+-	-	_	-	_	_	-	1	1	-	1	2 1	1 2	2 3	_	_	21	TOT	1	1	2	1	1	1	1			1	1	TOT	TOTA
FLYCATCHER, Yellow-bellie		_	-	_	\neg		\vdash		$\neg +$	-		Н		 '	╁	+3	 	2	-	•		13	-	-		1	_		-	4_	2	2		5	1	1	1	1	2	3	2	4	14	8	4	42	60
FLYCATCHER, Acadian		-	7	\top	_		-	-1	-	\dashv			1	├	-	┼	+	+-	+.		-			ļ.,	\dashv	_					1_									1	1		2			4	4
FLYCATCHER, Alder	_	7	\top	1	\dashv					-		Н	<u> </u>	-	⊢'	+	+-	+-	- 4	2	+	4		\vdash		1	_ -			_ _				_1_													5
FLYCATCHER, Willow	7	\dashv	\top	_	7				\dashv		-			┢	├-	\vdash	╀	╁	-		+			\vdash			-	- -	4		1						2			1		1				3	3
FLYCATCHER, "Traill's"		T	_	十	-+					_						╄	+	+	+	-	-	-				_			-		\bot				1					Τ						1	- 1
FLYCATCHER, Least				_†	\neg					-1		\vdash		┝	1	+-	┼		+-,	. —		_	-1			2	\perp					_		2					1							1	3
EMPIDONAX, species		_	\top	+	+					-+			_	1—	-	1	 	┼─	+-'	-	+	- 1					\dashv			1.					3			L					3		1	6	7
PHOEBE, Eastern	3		1	1	_		1			1	7	\vdash			 —	+ <u>-</u> -	├	┼─	+	+	+				-4		\dashv	+	_	11	1	_		1	2							3	40	22	12	79	81
FLYCATCHER, Gt. Crested			\top	\neg					1	11	2		1	-	\vdash	-	-	┼-	+ 4	- -		-	-1						-	4	\square		_														7
KINGBIRD, Western		\top	7	T	$\neg \uparrow$		-		+	Ť	-		•				┈	┼	+'		╌	-1			\dashv		_	_	ֈ	4.	\perp	\dashv	_L										1	1		5	9
KINGBIRD, Eastern	T	\top	7	┪	2	2		1	1	1	7	3	1	1	8	20	1	1	+-	-	╬	44	4	5	-	-1	_	. .	+	+1	11			1		_		\Box							T		1
FLYCATCHER, Scissor-tailed		\neg	1			1				2	3	3	•	<u>'</u>	۴	7	+-	1	1	+-	_	12		3	3	4	2	8 1	1		1	2	1	27	1	1	1	1	4	4	1	6	15	16	14	64	142
						- '					للت		-	Ь		٠.	Ц.,		'		Щ	12 1	i	لــــا				Ц_	_ i					2	1		1		1				2	6	5	16	33

Spring 2002 Migration -- Coast of Jefferson County -- Cuckoos, Nightjars, Hummingbirds, Thrushes, Tanagers, Grosbeaks, Buntings

			_											1 May																						- 				J										
	L				CH			$_{\rm I}$							A	PRIL								T -				_	VPRI																					
Date	9	23	24	4 2	5 2	6 3	10 3	1 1	MAR	2	4	5	6	7	8	9	10	11	12	13	14	15	AP1	16	10	20	24 4	221	22 2	415	1 00	107	1 22 1			۱.	1			-		AAY								1
Number of Reports	3	1	1	T1	1	1	1 2	2	TOT	1	2	1	1			3	1	2		1		1	TOT	1 7	10	4	41 4	1	23 2	4 2	20	121	28	29	APZ	1	2	3	5	7	11	12	1 13	14	18	19	20 2	4 M	IAY	GRA
CUCKOO, Black-billed					\top		\top	┱				H	+	-	-+	- +	•+	-	-		-	1	10	+;	-	-	-+	4	2 1	1 2	3	11	1	2	TOT	1	1	1	_ 2	1	1	1	1	2	3	1	1	1 T	OT	TOT
UCKOO, Yellow-billed			\top	1	1	\top	+	7		\vdash			-+-	1		1	$\neg +$	3	5	40	40	2	3	1	├ ┋ ┤	_	_	-1-		1.	1	ļ		\Box	1	11	<u></u>						T			П	\neg		1	5
IIGHTHÁWK, Common			T	1	+-	+	+;	it	1			\vdash	\dashv		\dashv	-	+		-		10	-	33	4	5	4		1		2		ļ.,	4	2	30	4	8		3	3	7	3	3		6			73	37	10
VILL'S-WIDOW, Chuck-	1		\top	\top	_	+	+-	+	1		_		-+		-		-+	-			!_	-		₽	\vdash	-11	1	1	1	١,	1	1	1	1	9	1	<u> </u>		6		1	1	1		6	$\neg +$	\neg		16	28
UMMINGBIRD, Ruby-thr				\top	.	╈	_	+	•		-		+-		-	-	\dashv	45	45	40	ōĒ.	-	445		1.	_			<u> </u>	1	_			[1_	<u> </u>					1		\top		1	\neg		_[_	1	3
EERY			†	+-	+-	+	- -	1				\vdash	-		-+	-+	-+	15	15	10	25	ĐΨ	115	15	10	2	5 2	20	11		15		3	1	92	1	1		1	1	1	1	11		4		1	3 1 1	12	21
HRUSH, Gray-cheeked	-		1-	+	+		-	+		=	_	-+	-	+	-+	\dashv	-+		\dashv	_	_	\vdash		1		1	1	_	_ 3	Ц_	2		1	_	9				1	\Box	1	1		5	2	3	1	_	13	22
HRUSH, Swainson's			╁╌╴	+	+	+-	+	+	-	\vdash		-+	-	+	1	. 		_		3	1	_	4			1		1			<u> </u>			_[_1_		1		T		1		\top	2	6	3	1		15	20
HRUSH, Wood	\Box	_	† -	+-	+	1	1 1	1	2	\dashv	2	5		٠,	50	=	20	2	2	3	3	_	13	2	\sqcup	\perp	_		1		<u>↓</u> _	2			5	1	2	1	2		2	1	1	12	4	17	8 3		53	71
ATBIRD, Gray			1	+	11	1	1 2	+	5		-	1			30	<u> </u>	20	3		10	5	3	107	2			2		_ _		1	:			4	1			T			\vdash	1	1	一十		+		Ā	11
HRASHER, Brown		2	2	12	2	+	1 1	_	10	2				+	-+	10		4		5	5	30	49	10	10	1	15 1	0 2	5 20) 4	20	10	100	15	240	100	100	T	10	1	5	\top	1	-	\Box		+-	1 3	18	512
ANAGER, Summer			Ť	†=	+-	+-	+-	+			3	1		0 2			<u>.</u>	-	_	5	5	-1	24	2	3	4	1		1 1			1	1		14	1		1	1		1	\vdash		\vdash	-†	\dashv	-+-		3	51
ANAGER, Scarlet	\Box		1	+	+-	+	+	+		\dashv	7	+					3 15			3	4	20		3		2	2	_ _	_ 1	1	2		2	1	16		1	1		1	T	1	+	1	3	2	+	_	10	111
OSBEAK, Rose-breaste			†-	1-	+	+	+-	┰		-+	÷		+	_	5	-			2	-	40	1	45	2				3	_ 1	1_		2	2	1	31		1	2			9	2	1	4	2	1	+		22	98
ROSBEAK, Blue			1	1	+-	+		╅	\neg	\neg	_	8	9 3			=	12		3	5	10		30	2			10 1	0 1	0 3	1_	2		5	1	62	2	1	2	1		4	1		1	1	1	+		4	106
UNTING, Lazuli			1	1-	+	+-	+	+	-1		\dashv		- -	' - *	-	* 	14	4	-	-	-	10	75	-		2	2	_ _	- -	<u> </u>	1	1		2	8							1	\vdash	\Box		-	\top	╅	- 1	83
UNTING, Indigo			1	2	+-	1	\vdash	+	3	3	20	30		0 30	000	0 4	00	4	3	_		-							1						1					T			$\uparrow \neg \uparrow$	\Box	\neg	_	+	\top		1
UNTING, Painted			┢	Ť	+	+-	1-	+	Ť	-		-	+'				6	4	3	3			3254		10	10 '	2 1	5	2	1	3		2	5	65	1	2		T	1	2		1	1	8	-	2	1	7	333
		-		-											,0	0	0		1			30	95		3	2	4 1	1 1	1		7	4	6		28			1	6	1	1	1	1-1	2		2	1	_	6	139

Spring 2002 Migration -- Coast of Jefferson County -- "Early" Vireos and Warblers

	Г				N	AAF	КСН						T											_																	
Date	42	44	140	22		23			00	100	1 44		1	1 -		r <u>-</u>		_	PRI													API									
Number of Reports	13	14	13	24	4	23	24	25	26	30		MAF		_	5	7	8	9	10	1		13	3 1	4		AP1	16	19	20	21	22	23	24	25	26	27	28	29	AP2	MAY	GRAND
	_	1	17	1		1	1	1	1	1	2	TOT	1	2	1	1	2	3	1	2	2 2	1	-	1	1	TOT	1	1	1	1	1	2		2			1				TOTAL
VIREO, White-eyed			<u>L</u> .	1		3		1	5	5	5	20	6	15	8	10	1	11	5 40) 5	2	10	5	5	\neg	117					2			1	1	-	1	-	5	4	146
VIREO, Yellow-throated				1	Т					1	1	3		1			1	2	1	1	\top	T	_	-		4		-			H		1	H	 ·	╁	1		2	2	11
VIREO, Red-eyed			Т	1						1		2	1	3	-	4	1	4	10) 3	3 3	1	+	1		30	5	5	3	2	1	1	1	├	1	1		4	21	58	111
WARBLER, Orange-crowned	3	1	2	1	\top	3	1			1	1	13	2	2	\vdash	 	2	2	2		Ť	1	+	-+	-	11	_	-	-				 -	├	<u> </u>	-	├	-	21	30	
PARULA, Northern	1			5		3	2	2		2	1	16	17	4	1		2	5	5	+-	2	+-	+	1	-	21			\vdash	4	 			├	4	├	<u> </u>	\vdash			24
WARBLER, Yellow-thr.	2		T	1	\top	4			 	1	2	10	ΙĖ	3	H	1	2	2	—	+1	+-	+	+-	•		10			\dashv		\vdash			 	-	<u> </u>			2	<u> </u>	40
WARBLER, Prairie			╁	+	+				-	Ė	 -		1	۲	1	<u> </u>	-	-	<u>'</u>	+-'	-	1		\dashv		2			-					\vdash	<u> </u>	<u> </u>					20
WARBLER, Palm		_		+	+	2			-	1	1	4	╁┈	2	<u> </u>		2	2	1	+-	1	1	+	-	\dashv	9								<u> </u>	-						2
WARBLER, Black-and-white	7			1	+	6				2	2	18	1	8	7	6	30		5 15	+	3	2	+-	1		88	-	2		4		4	2	 	2	_	2		1		14
WARBLER, Prothonotary			†	10	5 7	10	8	10	1	1	4	44	广	1	۱÷	40			5 50	_				0	_	362	3		2				-	-	4	2	2		13	18	137
WARBLER, Worm-eating			t	1	+	1	_		ΙĖ	1	1	4	 	25	20			-				3		4	-	115	3		-			4	-	-	1	2			9	1	416
WATERTHRUSH, Louisiana			1	1	+	1			1	<u> </u>	 · -	3	╂	1	20	2	7	10	_	-	-	2	_	1	\dashv	27									1-1	1	ļ		3		122
WARBLER, Hooded		├-	†-	1	+	-			† ·	1	-	2		7	20		65	30		4	10			4	7	196	6	2		2	4	-	-	-	1				1		31
WARBLER, Wilson's	1		+	† <u> </u>	+		-			1	1	$-\frac{2}{3}$	 	 '	20	1	8	1	1	+		1 3		-	-	11	0			2			1.	-	2	2	1	1	18	2	218
CHAT, Yellow-breasted		\vdash	†	+-	+	_		-	 	 	 ' -	<u> </u>	╂	+	├	<u> </u>	2	+ ;		+	-	+	-	_	-	1.1							<u> </u>	L.	<u> </u>	<u> </u>					14
o , o. o. o. biodoted	Ь		Ь	ــــــــــــــــــــــــــــــــــــــ					<u> </u>	1		L			L		12	1							7		1					7	1	1	1	2			7		14

Spring 2002 Migration -- Coast of Jefferson County -- "Later" Vireos and Warblers

		_			_		_	PRIL																		·aı										<u></u>			12		
Date	MAR	-	1	1 =	7-	1.				1 4 4 1					l					PRIL													MAY								
				5		8						14	15	AP1	16	19	20 2	21 2	22 2	3 24	25	26	27	28	29	AP2	1	2	3	5	7	11	12	13	14	18	19	20	24	MAY	GRAN
Number of Reports	TOT	_						1	2	2	1	1	1	TOT	1	1	1	1	1 2	1	2	3	1	1	2	TOT	1	1	1	2	1	1	1	1	2	3	1		1	TOT	TOTAL
VIREO, White-eyed	20		4	8			15	40	5	2	10	5		117				:	2	Т	1	1		1.		5		1	1	1						1		\vdash	╁	4	146
VIREO, Blue-headed	3	1	1		1	1	2	1	<u> </u>	2				9			1		1	1		1				4							-	_	1	1	1	 	+	2	18
VIREO, Warbling							1	1						2			_			1	1	1				1						-	 	+	1	1	+-	+-	+-	2	5
VIREO, Philadelphia									1					1						1-	\top						1						-	-	4	i	7	3	+	23	24
VIREO, Red-eyed	2		3		4	1	4	10	3	3	1	1		30	5	5	3	2	1 1	1	+	1	1	_	1	21	1	1	2	2	1	2	1	3		-	14			58	111
WARBLER, Blue-winged		1	T	4	1	4	10	7	1				10	38	1		1	2	1	\top	1	2	2	2		10	H	-		_	\vdash		۱÷	<u> </u>	 	1	+	+-	+		48
WARBLER, Golden-winged			T			T				1				1	1			1		\top	1	2		_	7	4			1				 	\vdash	1	 	+-	+	+-	2	70
WARBLER, Brewster's																		_		\top	+-		$\neg \uparrow$	-	-						-		-	 	†- <u>-</u>	 —	+	+	+	<u> </u>	1
WARBLER, Tennessee			3			16	3 2	17		1	1	2		42	2	6	3		1 4	4	1	20	4	8	1	54			3	1		2	<u> </u>	1	5	8	5	3	+	28	124
WARBLER, Nashville			T	1	T			1		1				3				一十	_	1	1	1			Ť	1				·			 -	H	+	-	-		+	1	124
WARBLER, Yellow			1			9	4	3		3				19	1	3	1	8 2	25 20	25	5	8	7	5	10	113	10	3	6	25	3	2	1	1	2	18	7	5	2	85	217
WARBLER, Chestnut-sided					1						7								-	1	1		1		Ť	2	1	2	2		Ť	1	'	2	+=	10		6		40	42
WARBLER, Magnolia					1	T	T	1							1	-	7: 1:	1	+	1		1	2	1		6	3	2	7	2	3		1	6	15	20				101	107
WARBLER, Cape May			\top		1			1									-	·	+-	+·		H	-	\dashv		ŭ	Н			_	•		- '-	10	13	20	130	12	\vdash	101	107
WARBLER, Black-thr. Blue			1	1	+	+		 								\dashv	+		+	+	+		1	1	7	3	1		1	1			├—	├	1	 	├	<u> </u>	+	1	7
WARBLER, Black-thr. Gray			T -	1	1	+	1			\vdash					\vdash	\dashv	- -	+	1	1	1	\vdash	-	+	+	4			-		\vdash		├	ļ	-	├—	—	<u>—</u> '		4	1
WARBLER, Black-thr. Green			†	_	†	1	2	3		-1		1		7			1	1	1	1		2	3	2		11	\vdash		2	4				L-		<u> </u>	—	 	\vdash	L	4
WARBLER, Blackburnian	i — i		2	+	+	2		1			-	<u> </u>		9		-+	+	+	<u>'</u>	+-	+	2	3		\dashv					- 1	\vdash			3	3	3	 _	├ '	\vdash	12	30
WARBLER, Bay-breasted			+-	+	+-	3		۱÷	\vdash	-			-	3		-	-		+	+	+	-			- 1	2	-							4	5	9	_		1	28	39
WARBLER, Blackpoll	1		+	+-	+	+-	+	+	\vdash		-				1	3	2	1	1 2	1	12	20	7		1/2	44			8			1	ļ	3		5				28	32
WARBLER, Cerulean	· · · · ·		1	+-	+-	1	1	2		1	2	2	4	11	'	3	4	' +	1 2	+-	13	20		1	4			1	8				<u> </u>	ļ	1	4	2	1	3	21	65
WARBLER, Black-and-white	18	1	8	7	6	30	15			3	2	1		88	- 4	2	-'-	4	+;	+ <u>-</u>		_		-	-	2									<u> </u>	<u> </u>	<u> </u>	$\perp \perp \mid$	$\perp \rfloor$	L	13
REDSTART, American	1		+-	+	1	20	2			1	2	2	10	40	1			1	1	1		2	2	2	_	13	1		3	1		2		<u>L</u> .	4	4	2			18	137
WARBLER, Worm-eating	4		25	20	25				2	4	3	4		115	-	1	2	2	٠,	1	1	2	2	2	2		4	3	4	3	1		2	4	12	30	22	14		99	156
WARBLER, Swainson's	+ -	 	2.0	20	1	13	2	2	-	-	2	1		115					1	4-	1	1	1		_	3									'			\perp		L	122
OVENBIRD		├	1	1	1	12			3	3	- 4	-		31					٠.	+-	-	1	1		1	4	1									_				1	17
WATERTHRUSH, Northern			+ '-	+ •	+-	10		1-	3	3	•			16		_	3		1 1	1	-	1	2	3	1	10	ابيا	1	1				L		1	1		1	$oxed{oxed}$	8	49
WARBLER, Kentucky			6	1	15		20		1	4	2	2		79					3	4		2	4	2	2	24	3	2	3.	1	1	1	1	1	1	1	2		oxdot	17	57
WARBLER, Mourning			-	-	13	12	_ 20	111		4	- 2	4		79				1 '	1	┼	1	1	_		_	5															84
WARBLER, Canada		<u> </u>		 	┼		-	<u> </u>											_ _																	2		1.		3	3
MANDLEN, Callada			1	J	⊥			1.											_		1		1	.	- 1		ΙĪ	Т	1]	1				1	1	55	26	10		94	94

NATIONAL AUDUBON MEMBERSHIP FORM

Membership Form

To join the National Audubon Society, please complete this form and return with Introductory Membership fee of \$20 (payable to the National Audubon Society, or indicate you wish to be billed) to Golden Triangle Audubon Society, P. O. Box 1292, Nederland, TX 77627-1292. To use this form to give a membership as a gift, please complete the form and indicate your name in the appropriate space. Payment should accompany gift memberships.

Name:	
Address:	
Gift from:	
Check enclosed	Please bill me
Golden Triangle Audu	_

Brown Pelican SUBSCRIPTION FORM

To subscribe to the Brown Pelican. please complete this form or include the information on or with your check. Mail to Golden Triangle Audubon Society. P. O. Box 1292, Nederland, Texas 77627-1292 or bring to anv Membership Meeting. Subscriptions from National Audubon members with mailing addresses outside our official territory, and others wishing to subscribe are \$15 per year. Members with addresses within our official territory are asked to contribute \$15 also if they are able.

Name: _	
Address:	
Tel No:	

-8-

RARE BIRD ALERTS

Below is a listing of Rare Bird Alert telephone numbers for nearby areas. Transcriptions of some current tapes are available on the World Wide Web on Siler's Birding on the Net at http://birdingonthe.net/hotmail.html Detailed information (maps and text) on birding sites on the Upper Texas Coast is also available on the Web at http://www.texasbirding.net. This includes all the Jefferson County hotspots published in early issues.

Golden Triangle	(409) 768-1340
Texas (Houston)	(713) 369-9673
Abilene	(915) 691-8981
Austin	(512) 926-8751
Ft. Worth (N. Cent)	(817) 329-1930
Lubbock	(806) 797-6690
N. E. Texas	(903) 839-4804
Rio Grande Valley	(210) 969-2731
San Antonio	(210) 308-6788
Waco	(254) 299-8175
Louisiana	(504) 768-9874

Golden Triangle Audubon Society P. O. Box 1292 Nederland, Texas 77627-1292

ADDRESS SERVICE REQUESTED

Nonprofit Org. U.S. Postage Paid Permit No. 12 Groves, Texas